

Department of Energy

Office of Scientific and Technical Information Post Office Box 62 Oak Ridge, Tennessee 37831

August 10, 2016

Re: OSTI-2016-01064-F

Dear Mr. Ravnitzky:

This is in final response to the request for information you sent to the Department of Energy (DOE), Office of Scientific and Technical Information (OSTI) under the Freedom of Information Act (FOIA), 5 U.S.C. 552 on June 22, 2016.

You requested a "copy of records, electronic, or otherwise, of each letter TO and FROM universities, companies, and organizations, from the OSTI 'cold fusion' documents collection." On July 11, 2016, you were emailed an interim response letter informing you of the need for OSTI to obtain release authorization from the Department of Energy. OSTI received notification to release the letters to you in their entirety on August 8, 2016. As a result, OSTI is releasing 72 cold fusion letters in this mailing on a CD-ROM because of the volume and file size of the PDFs.

In addition, there are approximately 13 letters that are currently being reviewed by the DOE's General Counsel Office (GC) for release or redaction. Upon receipt of guidance from GC, OSTI will release in whole or in part.

This decision, as well as the adequacy of the search, may be appealed within 90 calendar days from your receipt of this letter pursuant to 10 C.F.R. § 1004.8. Appeals should be addressed to Director, Office of Hearings and Appeals, HG-1, L'Enfant Plaza, U.S. Department of Energy, 1000 Independence Avenue, S.W., Washington, D.C. 20585-1615. The written appeal, including the envelope, must clearly indicate that a FOIA appeal is being made. You may also submit your appeal to OHA.filings@hq.doe.gov, including the phrase "Freedom of Information Appeal" in the subject line. The appeal must contain all of the elements required by 10 C.F.R. § 1004.8, including a copy of the determination letter. Thereafter, judicial review will be available to you in the Federal District Court either: 1) in the district where you reside; 2) where you have your principal place of business; 3) where DOE's records are situated; or 4) in the District of Columbia.

You may contact OSTI's FOIA Public Liaison, Charlene Luther, Office of Preservation and Technology at 865.576.1138 or by mail at the Department of Energy, Office of Scientific and Technical Information, 1 Science.gov Way, Oak Ridge, TN 37830 for any further assistance and to discuss any aspect of your request. Additionally, you may contact the Office of Government Information Services (OGIS) at the National Archives and Records Administration to inquire about the FOIA mediation services they offer.

The contact information for OGIS is as follows: Office of Government Information Services, National Archives and Records Administration, 8601 Adelphi Road-OGIS, College Park, Maryland 20740-6001, e-mail at ogis@nara.gov; telephone at 202-741-5770; toll free at 1-877-684-6448; or facsimile at 202-741-5769.

If you have any questions about the processing of the request or about this letter, please contact Madelyn M. Wilson at

Sincerely,

Madelyn M. Wilson

FOIA Officer

DOE OSTI

1 Science.gov Way

Oak Ridge, TN 37830

March 28, 1989

Mr. Vince Vallquist 4219 Ashworth N Seattle, WA 98103

Dear Mr. Vallquist:

Thank you for your recent letter to Admiral Watkins, Secretary of Energy, and the enclosed copies of your earlier letters to Mr. Tower.

I reviewed your materials very carefully and was quite touched by the sincerity and good will towards our country that emanates from them.

Your suggestions have been noted. The effort you took to communicate them to the Department of Energy is very much appreciated.

Sincerely,

Ryszard Gajewski, Director Division of Advanced Energy Projects Office of Basic Energy Sciences, ER-16

bcc: S US MA-1.22 DO/4 ER-622 (Fst1)

ES #89-002373

ER #89-113

PREPARED BY: RGajewski/lh:ER-16:03/28/89:3-5995

FROM:		DATE OF DOCUMENT:	DATE RECEIVED	STATE OF THE STATE		
Vallquist, Vince 4219 Ashworth N.		LTR: MEN			89-113 EPORT: OTHER:	
Seattle NA 981		X ORIG: CC: X CLASSIFICATION/CONTR Uncl FILE CODE:		DATE ANSWE	RED;	
DESCRIPTION (Must Be Unclassified	d)	REFERRED TO:	DATE	BY: RECEIVED BY:	DATE	
Regarding Cold		A. Davies-Act	Eion 3/16 (3/28	
ENCLOSURES:						
			A	CTION		
		DESTRUCTION RECORD:		COUNTD	ATE:	
DUE 3/27/89	Reply direct	DESTROYED BY:	Villa.			
	Hon	Eneroy				

ES-F-1325.12 (10-86)

U.S. DEPARTMENT OF ENERGY CORRESPONDENCE CONTROL FORM

OFFICE OF THE EXECUTIVE SECRETARIAT ACTIVITY ADD DO NOT DETACH FROM ORIGINAL CORRESPONDENCE SOURCE CODE PM PUBLIC MAIL 13:02 CONTROL NO: ES89-002373 03/14/89 DATE DUE: 03 TE CORR: 03/07/89 DATE RECD: 03/13/89 DATE DUE: DATE CNTRL: TO: SECY: X DEP SEC: UN SEC: OTHER: TER: X MEMO: TWX: OTHER: FROM: VALLQUIST, VINCE WA 0 REMARKS: SUBJ: NUCLEAR FUSION FOR USE BY ACTION OFFICE ONLY REGARDING COLD FUSION **ACTION REFERRED TO** DATE **RETURN TO** ACTION TO: ER TYPE ACTION: Reply direct SIG OF: CONCURRENCE INFORMATION:S US MA1.22 DO/4

FILE CODE: PMVALLQUIST-ES89002373 CONTROL ANALYST: B. ATCHERSON...5075

ALL DOCUMENTS FOR THE OFFICE OF THE SECRETARY MUST BE FORWARDED TO THE OFFICE OF THE EXECUTIVE SECRETARIAT FOR FINAL PROCESSING

80011

Adm, Jaris Watkins march 7,1989 SICKTARY DENTRBY 1000 Independences Aresind,
Washington D. C. Rei Full Disclosure.
Dear Secretary Watkins, An event of a bisolute
I am forever in debted to your staff bring kind in raplying to my latteres and refined discussions that again maginais a tram spirit of our nation pulling together in int of the most entrancingly brantiful discussing in the Plast Rasing The Interns I've recently sout to Secretary John Towen, that FUCUSES upon a possible breakthrough Idan centering upon plasma accolmators. The march 5 and march 4 letters proceed from application to application, and to my enpperer, land to Cold-Fusion SDI utilities in a building block Pressy that is quite brantiful in alagamen if the rough sketch has the merital truth value mat I baliava it glors, I'm not a scientist, but a I feel your brilliant train of scientists can take control with the field-lives of discussion that would natural juscash from in live to D&E, DID, and NASA, as a national treasure. I can only excommend to this livel, a brist scenario, private study would not be in the national interest since you have the naccessary expention and tentent of geners to full comprehable the

This work has been very hartie for me in trans of prossure breaker of my inward some of the magnitude of
these lettens, and I feel you can
guage my contridence of andon for
year brittiant Naval Background in
the attacked prettolic that is mount
to be a progrand buck of sensitivity of what one Navy intans to us in a new look, cold-tusing power trains, to which a quiet apprintance would intimacy as a signification part only min understand in times of hand wink contlid in IN For our country, 4-15, the attire does cap my Recommendation in The taling between men and the 1467 pictures is definituly my artistil expression of SDI magnitude of classing eloquency # Please take care that this seriendipide of Wents is in largung with America at her best, kniwing sincer hard Work mitacle have to be per formed, yet having a digger of spirited play prist with daring emfidmen taking, daring, pride, tram spirit, a paint, elan mut piciones unnatici in the cratanty that were in the example that were in

This gettern is hand-weitten without typing as an expression of utmist sacrifice of contramer in your securing Me kinding of my hrant, and of conrect the letters that follow must be it inspected to virg close digring it pricisemal thinking, to which my tet in the may be CRUNA, but mant in live. I wanted an SMES unergy storage that would essential be comprised of micky cabis of thisty superconductors, and the nation with the appropriate uning donsity - a miracle. I Writing latter uncerning 4bove ground nuchan fission waste stonage in which containers are stacked in a pyramid with prehaps 9 401 base, and I meant It, for cost reasons, com it the dama man-made mountain valist, dur b My incredible toxic duration. I simply become vixed whom the Yucca Montain project significs incerdible costs

of the tenn of 510,000, Rock

samples. To the paint, my

enthusiasm is for fininging to

solve problems affordably with incredible cost savings relative to Can Ventrona Minking, as a natural full trum for Congress. # My actistic expression for DoD was in Frict a vorter of live and on thusingen for our country, to which I simply randal my soul, so to sprak, The contragion of creativity iras a live sonnt to turn sucrtany Carlucci and Adm (Rowl, but the point I'm making is fast Amorais a has huga RIGIRING of mongy to erade enginerang frats of ingine disign and propulsion systems for advanced plat forms

It in craish 21st contemp

dimension, and I fort that

this energy from DPD, DOE, and

NASA have task force dimensions

is America at here bost, in which her full stride offert smply can't be matched by any Mar countrey, In fact, America duis set the him ton the Future, Pan the wield, and I live Naval presence in managiment bring strady at hu hilm. It this suggestion strage 13 Remetaly close to righty, I feel I've done my JIb 45 a patriot to our country, I feel that SDI.

15 mist practical in a congressional line of Realism if it is around based companied to a utility that normally gridlock factors appearing in the hours

I Know absolutely that Amountage had to have a new Adm. Rickente to take the helm of one nation's desting, and your the man A highest intellectual privers to
set the counser of our nation's
effort from every reach of
America's intellectual basing, and
I might add that this Cold-Fixin SDI utility may have serious NATO overtones - in them of defense Reachment, and energy Resourcing The sontifient degene of this lettere is one to be an injoyable contenting Jun path, a possibility, for sur nutin's walture to which I've dand to give you every highlights which may be an abstractor that is entrusted by you man to man. I wish my educational background was up to the chall-ingt, but my activity us a Risianch analyst 13 one of integrating topics and applying presentations with some digree of psychology Yes, energy becomes a love affair, of saphistication of courses. Thank
you for your time,
Sincerely,
Vince Vallquist 4219 AShWORTH No Souttle Wy 98103

JOHN TOWER March 5, 1989
SECRETARY OF DEFENSE
THE PENTAGON
WASHINGTON DC

RE: PLASMA WAVE-GUIDE ACCELERATOR SUPERIMPOSED INTO COLD-FUSION REACTORS FOR FUTURE NAVAL SHIPS

Dear Secretary Tower,

I would like your staff to be keenly aware of a possible breakthrough in cold fusion design which I feel is appropriate at this time for you to consider from the intrinsically evidencing article if the Scientific American magazine dated March 1989, 'Plasma Particle Accelerators' by John Dawson.

The gellpoint of this discussion is one of obtaining a 20 MW beat-wave of about 400 GEV to which electrons could be injected into the plasma wave topside perpendicular to the direction of the electric field induced by two carbon dioxide lasers with wavelengths of 9.6 and 10.6 microns), similar to what Dr. Joshi is doing per the article, yet I believe theplasma waves can be superimposed within the cold fusion vessel to which the electrons produce X-rays of sufficient energy to yield a muon region of about 1 MW that essentially yields fusion at 100 MW with the required tritium and deuterium injectors inserted at precise points of amplitude with the plasma wave-beat region. Note that the cold-fusion arrangement could provide its own fuel from fast-nuetrons reaching into proton regions for deuterium, and lithium regions for tritium. The vessel itself would have superconductor magnetic confinement within a superconductor magnetic refrigerator which I believe could both be assisted by Josephesen Junctions in which all housekeeping functions would be at 37.5% or 37.5 MW; and 83,750 h.p. derived from another superimposed idea, that of the muon region inducing a high magnetic field perfectly aligned for an alternator that just happens to appear on page 93 of this issue, in which the magnets

are mounted on the rotor and the coils are place on the stator, which means the electromagnetic stator is flush and interior to the reactor vessel aft end. Note that the required magnetic field holding the plasma within a vacuum region travels formed of the while the plasma electric field travels aft, completely consistent with the aim of the lasers, and the induced magnetic field is directed transversely inward perfectly matching the superimposed alternator aft. Of course, one could also add a lithium coil blanket in a compact sequencer-condencer arrangement. I also feel that the most critical factor of a 400 GEV pasma, or 20 MW, can be centered within a vessel size of no more than 3.5 m by 2 m square-or 6.5 foot width, heighth and 12 feet in length that produces 134,000 horsepower total and 83,750 hp external. If these figures are some what correct, then I believe we have exactly the parameters for a Navy ship or Sub and we can scale a pair of these reactors for an aircraft carrier of cold-fusion HST/SST bomber, and it just tickles me that this may make Admiral Crowe's day. Obviously, the sentient point comes up of muomolecular catylist resonance at the required temperature of 900 degrees C relative to the plasma wave-guide but I did want you to get the idea that I just couldn't contain myself when

Aside from my interest in superpositioning fusion events, I've got a couple of drawings I'd like you to consider for future platform studies which could be examples of cold fusion applications - except for the twin X-wing Navy Patrol Craft. Again, thank you.

I put it together and everything lined up perfectly - I think.

Sincerely,

Vince Vallquist

4219 Ashworth N Seattle Wa 98103 JOHN TOWER

SECRETARY OF DEFENSE THE PENTAGON WASHINGTON DC

RE: PLASMA WAVE-GUIDE ACCELERATOR APPLIED TO A NEW AIRFORCE

AIRCRAFT - AN EARTH SHIP THAT HAS BEEN PREVIOUSLY TERMED

A GRAVITY SHIP.

Dear Secretary Tower,

I would like you to attach this letter to the one dated March 5, 1989 to which I gave a description of several novel ideas of superpositioning a wave-guide accelerator within a cold fusion reactor vessel with a power magnitude and inferred deminsion of 100 MW in which the drive from the plasma is dericted to an interior alternator which could provide an estimated 83,750 h.p. based on muon fusion and carbon dioxide lasers as implied in a formal research article appearing in the Scientific American magazine dated March 1989.

This letter now suggests that this arrangement of perhaps seven such cold fusion units with a suitable SMES startup arranged in the lower third of a flying saucer shaped 'Earthship' with a convenient diameter of 100 feet would have a combined energy of 20 TEV or 1,000 GW if infact the cold fusion sizes are approximately 150 MW each in which the lasers are situated at right angles to the lower deck perimeter, and angled by mirrors as the attached drawing indicates. This aircraft would weigh in at approximately a 747 to which a supercomputer linkup would employ the downward directed magnetic force much like a cone as indicated with the current running counterclockwise and resultant energy vectors dericted radially outward. The key to this huge amount of plasma energy is precisely found in the computer synchronization of wave-beats fore, aft, and transversally - as the drawing indicates.

If the March 5th letter has seroius merit for a breakthrough in cold fusion design for ships, subs, and aircraft as I truly beleive, then you can see the logic in aligning seven such units serially along a flying saucer perimeter to which the supercomputer would be above the reactor base level and the command-pilot area on the top level. The implications may seem startling yet I am forever grateful to your staff if infact plasma wave-guide accelerators joined with cold-fusion units become the crucial elements of launching highly efficient platforms such as conventionally appearing aircraft or breathtaking saucer-shaped aircraft as I've submitted in the past, with some degree of trepidation. If such designs do infact represented it in the next decade I believe that very serious attention be given to this roughdraft presentation. The most novel concept is my approach to the flying saucer flight management profile.

I realize that this Earth Ship concept comes as a shock to everyone but I feel proud to come forward with these ideas with fullest pride in trying to give the Navy and the AirForce my very best of design creativity, that is truly meant well. Certainly the March 5th letter can be dericted to Energy Secretary ADM. James Watkins for possible inclusion in new cold fusion utility studies to which I believe there would be incredable savings.


This very sincere suggestion stream is dedicated to ADM. Crowe, ADM. Troste, and General Welch, all whom I devote my most fervent admiration and respect to.

Sincerely, Vina Vallanist


Vince Vallquist

4219 Ashworth N

Seattle Wa 98103




Earth Ship Employing Plasma-Inducted Magnetic Fiziols
See next page



The Secrel for Beauty in Modern Physics



16M/LII.



February 10, 1989

Mr. Vince Vallquist 4219 Ashworth N Seattle, WA 98103

Dear Mr. Vallquist:

Your recent letter to Secretary-Designate Watkins has been referred to me for response.

As it happens, your favorite, personal hope for a future energy source, cold fusion, is also mine (any many other people's). The problem, as you correctly imply, is in cheaply producing the muons. The only way we know how to make them is to first produce π -mesons (pions) which then naturally decay into muons. Pions are produced by effecting nuclear collisions at very high energies per nucleon. Though the total energies released in a howitzer round, as you suggest, would be tremendous, the energy per nucleon would certainly not be enough to induce nuclear reactions leading to muon production.

Your thoughtfulness in sharing your idea with the Department of Energy is very much appreciated.

Sincerely,

Ryszard Gajewski, Director Division of Advanced Energy Projects Office of Basic Energy Sciences, ER-16

bcc: US NE DO/4 ER-622 (Fst1)

DP MA-1.22 IAdler, ER-60

ES#89-000982 ER#89-0068

PREPARED BY: RGajewski/lh: ER-16:02/10/89:3-5995

DE DATE: 2/23/89 Fusion	1/27/89 LTR: MEMO: X ORIG: CC: X CLASSIFICATION/CONTROL Uncl FILE CODE: REFERRED TO: Gajewski-Actio I. Adler-Info	DATE	DATE ANSWER BY: RECEIVED BY:	OTHER:	
UE DATE: 2/23/89	LTR: MEMO: X ORIG: CC: X CLASSIFICATION/CONTROL Uncl FILE CODE: REFERRED TO: Gajewski-Actio	MARKINGS:	DATE ANSWER	OTHER:	
UE DATE: 2/23/89	ORIG: CC: X CLASSIFICATION/CONTROL Uncl FILE CODE: REFERRED TO: Gajewski-Actio	DATE	DATE ANSWER		
2/23/89	X CLASSIFICATION/CONTROL Uncl FILE CODE: REFERRED TO: Gajewski-Actio	DATE	DATE ANSWER		
2/23/89	Uncl FILE CODE: REFERRED TO: Gajewski-Actio	DATE	BY:		
2/23/89	Uncl FILE CODE: REFERRED TO: Gajewski-Actio	DATE	BY:		
2/23/89	FILE CODE: REFERRED TO: Gajewski-Actio		BY:		
2/23/89	Gajewski-Actio		BY:		
	Gajewski-Actio		- Mina	DATE	
Fusion	Gajewski-Actio		RECEIVED BY:	DATE	
Fusion		n 2/9	The state of the s	100000000000000000000000000000000000000	
	T 7dlor-Info				
	1. Aller-IIIIO	2/9			
			Garage Wall		
NCLOSURES:		AGIION			
		G.			
			5		
		PAGE	COUNT	ATC.	
		0		M-1	
ES# 89-000982 Reply direct DUE 2/23/89		11,			
		1			
HON	Eneroy				
		DESTRUCTION RECORD: COPY NUMBER(S) DESTROYED BY:	Reply direct DESTROYED BY:	DESTRUCTION RECORD: COPY NUMBER(S)PAGE COUNTD Reply direct DESTROYED BY:	

(10-86)

U.S. DEPARTMENT OF ENERGY

CORRESPONDENCE CONTROL FORM

FICE OF THE EXECUTIVE SECRETARIAT ACTIVITY ADD DO NOT DETACH FROM ORIGINAL CORRESPONDENCE SOURCE CODE PM PUBLIC MAIL ES89-000982 SPEC INT: DATE RECD: 02/06/89 DATE CORR: 01/27/89 02/23/89 DATE CNTRL:
TO: SECY: ___ DEP TTER: X MEMO: TWX: OTHER: DEP SEC: UN SEC: OTHER: ...OM: VALLQUIST, VINCE WA O **REMARKS:** SUBJ: PUBLIC INFORMATION IDEA/INVENTION FOR USE BY ACTION OFFICE ONLY REGARDING COLD FUSION DUE DATE **ACTION REFERRED TO** DATE **RETURN TO** 2 3 TYPE ACTION: Reply direct ACTION TO: /ER SIG OF: CONCURRENCE: INFORMATION: US DP NE MA1.22 DO/4 CONTROL ANALYST: B. ATCHERSON...5075 FILE CODE: PMVALLQUIST-ES89000982

ALL DOCUMENTS FOR THE OFFICE OF THE SECRETARY
MUST BE FORWARDED TO THE OFFICE OF THE EXECUTIVE SECRETARIAT FOR FINAL PROCESSING

930ALB

January 27,1987

SECRETARY OF ENERGY DEPARTMENT OF ENERGY WASHINGTON DC

RE: COLD-FUSION DIRECT DRIVE ENHANCEMENT

Dear Secretary Watkins,

this letter is very brief that concerns a working principle that may be of fairly significant consequence in upscaling direct drive efficiencies for my favorite, personal hope of Lange de energy sourcing: cold-fusion. Please consider employing a bank of 155 mm howitzers to fire the nuclear micropellets into the deuterium/lithium target to create muons by the most efficient means possible - x-rays, and we simply are avoiding incredible acceleratorand laser costs to achieve a scaleup necessary for a fairly large fusion reactor. In fact, the target could be within the fussion vessel with the gun muzzels projecting inward, but the important point is that the high velocity is offset by recoil system; and I would imagine the barrel could be made of organometalic/ceramic material (OMs) to insure rapid fire without heat buildup. The guns could be centered bunker-style, or concentric, or below the base in a shaft arrangement, but the main point is that each gun would fire the equivalent of 25 pounds of TNT, times 20 guns, or 500 pounds of TNT equates to one billion joules of energy. The micropellets employed in this incredibly affordable fashion become the most elegant method of initializing and maintaining fusion energy.

Please note that these howitzers give perfect dimension requirements if grouped horizontally in a cluster, and I assume that pulsed ignition has always been the mainstream of thought. With the above arrangement, we can power sub, surface ships, and planes, although we would have to design a suitable silencer.

Concerning the reacter vessel, I believe OMs could be employed with a ceramic inner surface, since turbine technology is now considering these materials and with regard to new utility ITER generators, I feelthat we should at least weigh the possibility of matter/ anti-matter interactions as a direct translation to streamline the turbine interface that could again be downscaled to ship/aircraft propulsion.

After a year long study of Defense applications, I feel coldfusion is sentiently perfect as the next step, especially for the Navy. In fact, new materials may completely change our Naval presence - with ceramic construction becoming viable if we can reduce costs and maintain a CAD-CAM section join in which I believe specially-coated CAD-CAM aluminum trays would serve as reusable molds for ceramic pouring and kilning. High energy and high facility costs would be a factor, even with Varian gyrotron microwave lasers, but an article in the February 1989 issue of HIGH TECHNOLOGY may have cracked the problem. A team from Northwestern University (Boston) is using superconductors to deposit thin ceramic films for computer chips, a process that would normally require temperatures in the range of 1,000 to 2,000 degrees C, but they've found a way to apply the ceramic films at 150 to 170 degrees C, and if upscaled to ship section constuction, say 6' X 6' rigid sheets reinforced with honeycomb, then again the Navy is well served by your Department assisting in such developments for Defense purposes. This thought is yours to give to ADM. Crowe.

I am ever so sensitive to performatively brilliant articles from SCIENTIFIC AMERICAN and HIGH TECHNOLOGY, to which the public is given a glimpse of the incredible challenges facing your Department, and leading edge companies and university research teams. I hope I've been of some assistance. Thank you.

Sincerely,

VINCE VALLQUIST

Vince Vellymit

4219 ASHWORTH N

SEATTLE WA 98103

(206) 633-0754